In the Claims:

- 1. (currently amended) A closure for a bottle, the closure being dispersible in a aqueous medium, the closure comprising a first hydrophobic component and a second hydrophilic component, each component defining a seal enclosing a volume within the bottle and the first and second components abut against each other, wherein the dispersion of each component is activated by a different means.
- 2.(previously presented) A closure according to claim 1, wherein the first component of the closure is insoluble in water.
- (previously presented) A closure according to claim 1 wherein the dispersion of the first component of the closure is triggered by an elevated temperature mechanism.
- 4. (previously presented) A closure according to claim 3, wherein the elevated temperature is between 30°C-90°C.
- 5. (previously presented) A closure according to claim 1, wherein the first component of the closure comprises a wax.

6.(cancelled)

7. (previously presented) A closure according to claim 1, wherein the dispersion of the second component of the closure is triggered by contact with an aqueous medium.

8.(canceled)

 (previously presented) A closure according to claim 7 wherein the second component comprises a water soluble polymer.

- 10. (previously presented) A closure according to claim 9, wherein the water soluble polymer comprises a polymer selected from polyvinyl alcohol, polylactic acid, polyvinyl pyrrolidone or a mixture thereof.
- 11.(canceled)
- 12. (previously presented) A closure according to claim 7, wherein the second component of the closure has no or only a limited solubility at a pH-value above 10 and, at a pH-value below 9, has a solubility such that it becomes dissolved.
- 13. (previously presented) A closure according to claim 12, wherein the component comprises a pH-sensitive polymer incorporating a repeat unit having a basic function, separate from the backbone chain of the polymer.
- 14. (previously presented) A closure according to claim 13, wherein the repeat unit is based on a compound selected from the group consisting of vinyl alcohol derivatives, acrylates and alkyl acrylates having said basic function.
- 15. (previously presented) A closure according to claim 13, wherein the polymer is a carbohydrate functionalised with the basic function.
- 16. (previously presented) A closure according to claim 13, wherein the basic function is an amine.
- 17. (previously presented) A closure according to claim 16, in which the repeat unit is based on a compound of formula III:

$$\begin{array}{c|cccc}
R_1 & R_1 & \hline R_1 & \hline R_2 & \hline CH & C & \hline CH & X & R_2
\end{array}$$

$$\begin{array}{c|cccc}
R_1 & R_2 & \hline R_2 & \hline CH & R_3 & \hline CH &$$

in which G is a linking group selected from -COO-, -OCO-, -CONH-, -NHCO-, -NHCONH-, -NHCOO-, -OCONH-or -OCOO-,

each R_1 is, independently, hydrogen or an alkyl group with 1 to 3 carbon atoms, each R_2 is, independently, hydrogen or an alkyl group with 1 to 5 carbon atoms, and x is an integer from 1 to 6.

18.(original) A closure according to claim 16, in which the repeat unit is based on a compound of formula IV:

$$c_{H_2} = \begin{array}{c} R_1 \\ C - COO - CH_2 \\ R_2 \end{array} \qquad (IV)$$

in which R_1 is hydrogen or an alkyl group with 1 to 3 carbon atoms, each R_2 is, independently, hydrogen or alkyl group with 1 to 5 carbon atoms, and x is an integer from 1 to 6.

- 19. (previously presented) A closure according to claim 1, wherein the components of the closure are arranged in a two layer structure.
- 20. (previously presented) A closure according to claim 19, wherein the closure is disposed within or adjacent to a dispensing aperture of the bottle.
- 21. (cancelled)

22. (previously presented) A closure according to claim 19, wherein a first layer is disposed within or adjacent to a dispensing aperture of the bottle defining a first seal and a second layer is disposed across a lower portion of the bottle defining a second seal.

23.(canceled)

- 24. (previously presented) A bottle for use in a washing machine, the bottle comprising a two component closure dispersible in an aqueous medium, each component defining a seal enclosing a volume within the bottle, wherein the dispersion of each component is activated by a different means.
- 25. (previously presented) A bottle comprising a closure according to claim 1.
- 26. (previously presented) A bottle according to claim 25, wherein the components of the closure are arranged in a two layer structure.
- 27. (previously presented) A bottle according to claim 26, wherein the closure is disposed within or adjacent to a dispensing aperture of the bottle.
- 28. (canceled)
- 29. (previously presented) A bottle according to claim 26, wherein a first layer is disposed within or adjacent to a dispensing aperture of the bottle defining a first seal and a second layer is disposed across a lower portion of the bottle defining a second seal.
- 30. (previously presented) A bottle according to claim 25, wherein the bottle has two compartments with each compartment being sealed by a different component of the closure.

- 31.(original) A bottle according to claim 30, wherein the two compartments are formed by a division extending from adjacent a dispensing aperture of the bottle to the base of the bottle.
- 32.(canceled)
- 33. (previously presented) A bottle according to claim 25 containing a detergent composition, wherein a portion of the composition is sealed by a first component of the closure and a second portion is sealed by a second portion component of the closure.
- 34. (previously presented) A bottle according to claim 33, wherein the detergent composition is a machine dishwashing detergent composition.
- 35.(canceled)
- 36. (previously presented) A bottle according to claim 25, wherein the bottle comprises an additional sealing means.
- 37. (canceled)